

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,272,390 B1
APPLICATION NO. : 09/741316
DATED : September 18, 2007
INVENTOR(S) : Stephen Adachi et al.


Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, line 9:	Replace “serves” with -- servers --;
Column 2, line 38:	Replace “or” with -- of --;
Column 2, line 40:	Replace “teach” with -- teacher --;
Column 2, line 67:	After “to” insert -- display information such as very small alphanumeric characters or graphical --;
Column 3, line 24:	Replace “teach” with -- teacher --;
Column 3, line 26:	Replace “devices” with -- device --;
Column 5, line 16:	After “wherein” insert -- a mobile --;
Column 6, line 11:	Replace “are” with -- as --;
Column 6, line 36:	Replace “on” with -- and --;
Column 6, line 51:	Replace “SSYSTEM” with -- SYSTEM --;
Column 6, line 64:	Replace “vehicle” with -- viable --;
Column 8, line 13:	Replace “language,” with -- language --;
Column 9, line 10:	Replace “font of” with -- font for --;
Column 9, line 12:	Replace “It” with -- If --;
Column 9, line 23:	Replace “communication” with -- communications --;

Signed and Sealed this

Thirtieth Day of November, 2010



David J. Kappos
Director of the United States Patent and Trademark Office

Column 9, line 43: Replace “entirely,” with -- entirety, --;

Column 9, line 64: Replace “EEXEMPLARY” with -- EXEMPLARY --;

Column 11, line 25: Replace “1010A,” with -- 101A, --;

Column 11, line 52: Replace “2A 2B)” with -- 2A, 2B) --;

Column 12, line 6: Replace “decide to” with -- decide in --;

Column 12, line 57: Replace “G3 to” with -- G3 or --;

Column 14, line 14 (Claim 6): Replace “received” with -- recited --;

Column 14, line 16 (Claim 6): After “default” insert -- facsimile --;

Column 14, lines 17-45 (Claim 7): Delete Claim 7 in its entirety and replace with the following re-formatted Claim 7:

-- 7. A server system comprising:

a bus;

a communication interface coupled to said bus, said communication interface operable to

communicatively couple with a mobile device and a facsimile system;

a processor coupled to said bus, said processor adapted to:

send viewable data to a mobile device, where the mobile device is configured to display at

least a portion of the viewable data;

receive a facsimile command from the mobile device responsive to sending the viewable

data to the mobile device, the facsimile command to identify one or more

printable documents associated with the viewable data and to identify a facsimile

endpoint to receive at least one of the printable documents;

retrieve at least one of the printable documents from a content server separate from the

processor responsive to the facsimile command received from the mobile device;

convert the printable document into a form compatible with facsimile transmission

responsive to the facsimile command; and

transmit the converted printable document to a facsimile gateway, the facsimile gateway

to route the converted printable document to the facsimile endpoint identified

from the facsimile command, where the facsimile endpoint is configured to print a

hard copy of the converted printable document. --;

Column 14, line 50 (Claim 8):	After “from” insert -- the --;
Column 14, line 56 (Claim 9):	After “webpage;” insert -- and --;
Column 15, line 60 (Claim 18):	Replace “form” with -- from --;
Column 15, line 67 (Claim 19):	Replace “processing” with -- process --;
Column 16, line 8 (Claim 20):	After “webpage;” insert -- and --;
Column 16, line 27 (Claim 24):	Replace “endpoint.” with -- endpoint as a transmission destination. --;
Column 16, line 63 (Claim 28):	After “webpage;” insert -- and --; and
Column 18, line 11 (Claim 34):	Replace “command” with -- command, --.